ELSEVIER

Brain Research 853 (2000) 396–398

BRAIN RESEARCH

www.elsevier.com/locate/bres

Author Index

Alonso, D., see Serrano, J. (853) 245
Amano, T., Matsubayashi, H., Tamura, Y. and Takahashi, T.
Orphanin FQ-induced outward current in rat hippocampus (853) 269
Ankarberg, E., see Eriksson, P. (853) 41
Arendt-Nielsen, L., see Babenko, V. (853) 275
Armstead, W.M., see Ben-Haim, G. (853) 330
Asanuma, M., see Sogawa, C.A. (853) 310
Ashe, K.H., see Yang, F. (853) 381
Avila, J., see Gong, C.-X. (853) 299

Babenko, V., Svensson, P., Graven-Nielsen, T., Drewes, A.M., Jensen, T.S. and Arendt-Nielsen, L.
Duration and distribution of experimental muscle hyperalgesia in humans following combined infusions of serotonin and bradykinin (853) 275
Beilharz, E.J., see Guan, J. (853) 163
Ben-Haim, G. and Armstead, W.M.
Stimulus duration-dependent contribution of K_{ca} channel activation and cAMP to hypoxic cerebrovasodilation (853) 330
Bentura, M.L., see Serrano, J. (853) 245
Besret, L., Page, K.J. and Dunnett, S.B.
The problem of antipsychotic treatment for functional imaging in Huntington's disease: receptor binding, gene expression and locomotor activity after sub-chronic administration and wash-out of haloperidol in the rat (853) 125
Best, A.R., see Wilson, D.A. (853) 317
Bing, G., see Kim, H.-C. (853) 215
Blanchet, F., Gauchy, C., Pérez, S., Soubrié, P., Glowinski, J. and Kemel, M.-L.
Control by GABA and tachykinins of the evoked release of acetylcholine in striatal compartments under different modalities of NMDA receptor stimulation (853) 142
Bonnet, C., Marinesco, S., Debilly, G., Kovalzon, V. and Cespuglio, R.
Influence of a 1-h immobilization stress on sleep and CLIP ($ACTH_{18_39}$) brain contents in adrenalectomized rats (853) 323
Brin, M.F., see Shashidharan, P. (853) 197
Brinkhous, A.D., see Veltkamp, R. (853) 68
Brown, H.E., see Harlan, R.E. (853) 99
Brunjes, P.C., see Wilson, D.A. (853) 317
Busija, D.W., see Veltkamp, R. (853) 68
Butcher, L.L., see Oh, J.D. (853) 174

Casamenti, F., see Giovannelli, L. (853) 136
Cates, P.S. and O'Byrne, K.T.
The area postrema mediates insulin hypoglycaemia-induced suppression of pulsatile LH secretion in the female rat (853) 151
Cespuglio, R., see Bonnet, C. (853) 323
Cha, C.I., Chung, Y.H., Shin, C.-m., Shin, D.H., Kim, Y.S., Gurney, M.E. and Lee, K.W.
Immunocytochemical study on the distribution of nitrotyrosine in the brain of the transgenic mice expressing a human Cu/Zn SOD mutation (853) 156
Chang, R.C.C., Hudson, P., Wilson, B., Haddon, L. and Hong, J.-S.
Influence of neurons on lipopolysaccharide-stimulated production of nitric oxide and tumor necrosis factor-α by cultured glia (853) 236
Chartisathian, K., see Oh, J.D. (853) 174
Chase, T.N., see Oh, J.D. (853) 174
Chauhan, A., see Ray, I. (853) 344
Chauhan, V.P.S., see Ray, I. (853) 344
Chen, P.-P., see Yang, F. (853) 381
Chung, Y.H., see Cha, C.I. (853) 156
Cole, G.M., see Yang, F. (853) 381
Creveling, C.R., see Inoue, K. (853) 374
Cuttitta, F., see Serrano, J. (853) 245

Danielsen, N., see Jongsma, H. (853) 186
Day, A.L., see Shi, J. (853) 1
De Araujo, E.G., see Dos Santos, A.A. (853) 338
Debilly, G., see Bonnet, C. (853) 323
De Montis, M.G., see Scheggi, S. (853) 290
DeTure, M., Ko, L.-w., Yen, S., Nacharaju, P., Easson, C., Lewis, J., Van Slegtenhorst, M., Hutton, M. and Yen, S.-H.
Missense tau mutations identified in FTDP-17 have a small effect on tau–microtubule interactions (853) 5
Dexter, F., see Mackensen, G.B. (853) 15
Domoki, F., see Veltkamp, R. (853) 68
Dos Santos, A.A. and De Araujo, E.G.
The effect of PKC activation on the survival of rat retinal ganglion cells in culture (853) 338
Drewes, A.M., see Babenko, V. (853) 275
D'Souza, D., see Harlan, R.E. (853) 99
Dunkley, P., see Karl, J. (853) 32
Dunnett, S.B., see Besret, L. (853) 125

Easson, C., see DeTure, M. (853) 5
Eriksson, P., Ankarberg, E. and Fredriksson, A.
Exposure to nicotine during a defined period in neonatal life induces permanent changes in brain nicotinic receptors and in behaviour of adult mice (853) 41

Faff, L. and Nolte, C.
Extracellular acidification decreases the basal motility of cultured mouse microglia via the rearrangement of the actin cytoskeleton (853) 22
Fernández, A.P., see Serrano, J. (853) 245
Fredriksson, A., see Eriksson, P. (853) 41
Fujiwara, N., see Kanda, M. (853) 282
Fukuda, S.-i., see Inoue, K. (853) 374
Furuta, H., see Sogawa, C.A. (853) 310

Galla, H.-J., see Wegener, J. (853) 115
Gallardo, J.R., see Serrano, J. (853) 245
Gambarana, C., see Scheggi, S. (853) 290
Garcia, M.M., see Harlan, R.E. (853) 99
Gauchy, C., see Blanchet, F. (853) 142
Giovannelli, L., Veltri, M., Casamenti, F. and Pepeu, G.
NGF treatment potentiates c-*fos* expression in the rat nucleus basalis upon excitotoxic lesion with quisqualic acid (853) 136
Glowinski, J., see Blanchet, F. (853) 142
Gluckman, P.D., see Guan, J. (853) 163
Gonçalves, C.A., see Karl, J. (853) 32
Gong, C.-X., Wegiel, J., Lidsky, T., Zuck, L., Avila, J., Wisniewski, H.M., Grundke-Iqbal, I. and Iqbal, K.
Regulation of phosphorylation of neuronal microtubule-associated proteins MAP1b and MAP2 by protein phosphatase-2A and -2B in rat brain (853) 299
Gottfried, C., see Karl, J. (853) 32
Graven-Nielsen, T., see Babenko, V. (853) 275
Grocott, H.P., see Mackensen, G.B. (853) 15
Grundke-Iqbal, I., see Gong, C.-X. (853) 299
Guan, J., Beilharz, E.J., Skinner, S.J.M., Williams, C.E. and Gluckman, P.D.
Intracerebral transportation and cellular localisation of insulin-like growth factor-1 following central administration to rats with hypoxic–ischemic brain injury (853) 163
Gurney, M.E., see Cha, C.I. (853) 156

Haddon, L., see Chang, R.C.C. (853) 236
Hakvoort, A., see Wegener, J. (853) 115
Harlan, R.E., Brown, H.E., Lynch, C.S., D'Souza, D. and Garcia, M.M.
Androgenic–anabolic steroids blunt morphine-induced c-*fos* expression in the rat striatum: possible role of β-endorphin (853) 99
Haynes, L.W., see Popovik, E. (853) 227
Hermanson, O., see Strömberg, H. (853) 105
Hong, J.-S., see Chang, R.C.C. (853) 236
Hong, J.-S., see Kim, H.-C. (853) 215
Hu, J., see Petrova, T.V. (853) 74
Hudson, P., see Chang, R.C.C. (853) 236
Hutton, M., see DeTure, M. (853) 5

Ikeda, A., see Kanda, M. (853) 282
Ikemoto, K., Nishimura, A., Okado, N., Mikuni, M., Nishi, K. and Nagatsu, I.
Human midbrain dopamine neurons express serotonin 2A receptor: an immunohistochemical demonstration (853) 377
Inoue, K., Mogi, M., Mori, R., Naito, J., Fukuda, S.-i. and Creveling, C.R.
Immunocytochemical localization of serotonin, monoamine oxidase and assessment of monoamine oxidase activity in human dental pulp (853) 374
Iqbal, K., see Gong, C.-X. (853) 299

Jensen, T.S., see Babenko, V. (853) 275
Jhoo, W.-K., see Kim, H.-C. (853) 215
Jongsma, H., Danielsen, N., Sundler, F. and Kanje, M.
Alteration of PACAP distribution and PACAP receptor binding in the rat sensory nervous system following sciatic nerve transection (853) 186

Kaasik, A., see Kalda, A. (853) 370
Kalda, A., Kaasik, A., Vassiljev, V., Pokk, P. and Zharkovsky, A.
Neuroprotective action of group I metabotropic glutamate receptor agonists against oxygen–glucose deprivation-induced neuronal death (853) 370
Kanda, M., Nagamine, T., Ikeda, A., Ohara, S., Kunieda, T., Fujiwara, N., Yazawa, S., Sawamoto, N., Matsumoto, R., Taki, W. and Shibasaki, H.
Primary somatosensory cortex is actively involved in pain processing in human (853) 282
Kanje, M., see Jongsma, H. (853) 186
Kann, O., see Möller, T. (853) 49
Karl, J., Gottfried, C., Tramontina, F., Dunkley, P., Rodnight, R. and Gonçalves, C.A.
GFAP phosphorylation studied in digitonin-permeabilized astrocytes: standardization of conditions (853) 32
Kato, K., see Kim, H.-C. (853) 215
Kemel, M.-L., see Blanchet, F. (853) 142
Kettenmann, H., see Möller, T. (853) 49
Kim, H.-C., Bing, G., Jhoo, W.-K., Ko, K.H., Kim, W.-K., Suh, J.-H., Kim, S.-J., Kato, K. and Hong, J.-S.
Changes of hippocampal Cu/Zn-superoxide dismutase after kainate treatment in the rat (853) 215
Kim, S.-J., see Kim, H.-C. (853) 215
Kim, W.-K., see Kim, H.-C. (853) 215
Kim, Y.S., see Cha, C.I. (853) 156
Ko, K.H., see Kim, H.-C. (853) 215
Ko, L.-w., see DeTure, M. (853) 5
Kondo, F., Kondo, Y., Makino, H. and Ogawa, N.
Delayed neuronal death in hippocampal CA1 pyramidal neurons after forebrain ischemia in hyperglycemic gerbils: amelioration by indomethacin (853) 93
Kondo, Y., see Kondo, F. (853) 93
Kovalzon, V., see Bonnet, C. (853) 323
Kramer, B.C., see Shashidharan, P. (853) 197
Kunieda, T., see Kanda, M. (853) 282

Lee, K.W., see Cha, C.I. (853) 156
Levin, M.F., Selles, R.W., Verheul, M.H.G. and Meijer, O.G.
Deficits in the coordination of agonist and antagonist muscles in stroke patients: implications for normal motor control (853) 352
Lewis, J., see DeTure, M. (853) 5
Lidsky, T., see Gong, C.-X. (853) 299
Lynch, C.S., see Harlan, R.E. (853) 99

Mackensen, G.B., Nellgård, B., Sarraf-Yazdi, S., Dexter, F., Steffen, R.P., Grocott, H.P. and Warner, D.S.
Post-ischemic RSR13 amplifies the effect of dizocilpine on outcome from transient focal cerebral ischemia in the rat (853) 15
Mackie, K., see Sañudo-Peña, M.C. (853) 207
Makino, H., see Kondo, F. (853) 93
Mani, S., Schaefer, J. and Meiri, K.F.
Targeted disruption of GAP-43 in P19 embryonal carcinoma cells inhibits neuronal differentiation. As well as acquisition of the morphological phenotype (853) 384
Marinesco, S., see Bonnet, C. (853) 323
Martínez, A., see Serrano, J. (853) 245
Martínez-Murillo, R., see Serrano, J. (853) 245
Martínez de Velasco, J., see Serrano, J. (853) 245
Masi, F., see Scheggi, S. (853) 290
Matsubayashi, H., see Amano, T. (853) 269
Matsumoto, R., see Kanda, M. (853) 282
Meijer, O.G., see Levin, M.F. (853) 352
Meiri, K.F., see Mani, S. (853) 384
Mikuni, M., see Ikemoto, K. (853) 377
Mironov, S.L. and Richter, D.W.
Intracellular signalling pathways modulate K_{ATP} channels in inspiratory brainstem neurones and their hypoxic activation: involvement of metabotropic receptors, G-proteins and cytoskeleton (853) 60
Miyake, N., see Tamura, R. (853) 81
Miyazaki, I., see Sogawa, C.A. (853) 310
Mogi, M., see Inoue, K. (853) 374
Möller, T., Kann, O., Verkhratsky, A. and Kettenmann, H.
Activation of mouse microglial cells affects P2 receptor signaling (853) 49
Mori, R., see Inoue, K. (853) 374

Nacharaju, P., see DeTure, M. (853) 5
Nagamine, T., see Kanda, M. (853) 282
Nagatsu, I., see Ikemoto, K. (853) 377
Naito, J., see Inoue, K. (853) 374
Nakada, Y., see Tamura, R. (853) 81
Nellgård, B., see Mackensen, G.B. (853) 15
Nishi, K., see Ikemoto, K. (853) 377
Nishijo, H., see Tamura, R. (853) 81
Nishimura, A., see Ikemoto, K. (853) 377
Nolte, C., see Faff, L. (853) 22

O'Byrne, K.T., see Cates, P.S. (853) 151
Ogawa, N., see Kondo, F. (853) 93
Ogawa, N., see Sogawa, C.A. (853) 310
Oh, J.D., Chartisathian, K., Chase, T.N. and Butcher, L.L.
Overexpression of neurotrophin receptor p75 contributes to the excitotoxin-induced cholinergic neuronal death in rat basal forebrain (853) 174
Ohara, S., see Kanda, M. (853) 282
Okado, N., see Ikemoto, K. (853) 377
Olanow, C.W., see Shashidharan, P. (853) 197
Ono, T., see Tamura, R. (853) 81

Page, K.J., see Besret, L. (853) 125
Pepeu, G., see Giovannelli, L. (853) 136
Pérez, S., see Blanchet, F. (853) 142
Petrova, T.V., Hu, J. and Van Eldik, L.J.
Modulation of glial activation by astrocyte-derived protein S100B: differential responses of astrocyte and microglial cultures (853) 74
Pokk, P., see Kalda, A. (853) 370
Popovik, E. and Haynes, L.W.
Survival and mitogenesis of neuroepithelial cells are influenced by noradrenergic but not cholinergic innervation in cultured embryonic rat neopallium (853) 227

Ray, I., Chauhan, A., Wegiel, J. and Chauhan, V.P.S.
Gelsolin inhibits the fibrillization of amyloid beta-protein, and also defibrillizes its preformed fibrils (853) 344
Richter, D.W., see Mironov, S.L. (853) 60
Rodnight, R., see Karl, J. (853) 32
Rodrigo, J., see Serrano, J. (853) 245
Romero, J., see Sañudo-Peña, M.C. (853) 207

Santacana, M., see Serrano, J. (853) 245
Sañudo-Peña, M.C., Tsou, K., Romero, J., Mackie, K. and Walker, J.M.
Role of the superior colliculus in the motor effects of cannabinoids and dopamine (853) 207

Sarraf-Yazdi, S., see Mackensen, G.B. (853) 15
Sawamoto, N., see Kanda, M. (853) 282
Schaefer, J., see Mani, S. (853) 384
Scheggi, S., Masi, F., Tagliamonte, A., Gambarana, C., Tolu, P. and De Montis, M.G.
Rats sensitized to morphine are resistant to the behavioral effects of an unavoidable stress (853) 290
Selles, R.W., see Levin, M.F. (853) 352
Serrano, J., Uttenthal, L.O., Martínez, A., Fernández, A.P., Martínez de Velasco, J., Alonso, D., Bentura, M.L., Santacana, M., Gallardo, J.R., Martínez-Murillo, R., Cuttitta, F. and Rodrigo, J.
Distribution of adrenomedullin-like immunoreactivity in the rat central nervous system by light and electron microscopy (853) 245
Shashidharan, P., Kramer, B.C., Walker, R.H., Olanow, C.W. and Brin, M.F.
Immunohistochemical localization and distribution of torsinA in normal human and rat brain (853) 197
Shi, J., Yang, S.H., Stubley, L., Day, A.L. and Simpkins, J.W.
Hypoperfusion induces overexpression of β-amyloid precursor protein mRNA in a focal ischemic rodent model (853) 1
Shibasaki, H., see Kanda, M. (853) 282
Shin, C.-m., see Cha, C.I. (853) 156
Shin, D.H., see Cha, C.I. (853) 156
Simpkins, J.W., see Shi, J. (853) 1
Skinner, S.J.M., see Guan, J. (853) 163
Sogawa, C.A., Miyazaki, I., Sogawa, N., Asanuma, M., Ogawa, N. and Furuta, H.
Antioxidants protect against dopamine-induced metallothionein-III (GIF) mRNA expression in mouse glial cell line (VR-2g) (853) 310
Sogawa, N., see Sogawa, C.A. (853) 310
Soubrié, P., see Blanchet, F. (853) 142
Steffen, R.P., see Mackensen, G.B. (853) 15
Strömberg, H., Svensson, S.P.S. and Hermanson, O.
Distribution of the transcription factor Signal Transducer and Activator of Transcription 3 in the rat central nervous system and dorsal root ganglia (853) 105
Stubley, L., see Shi, J. (853) 1
Suh, J.-H., see Kim, H.-C. (853) 215
Sundler, F., see Jongsma, H. (853) 186
Svensson, P., see Babenko, V. (853) 275
Svensson, S.P.S., see Strömberg, H. (853) 105

Tagliamonte, A., see Scheggi, S. (853) 290
Takahashi, T., see Amano, T. (853) 269
Taki, W., see Kanda, M. (853) 282
Tamura, R., Nakada, Y., Nishijo, H., Miyake, N. and Ono, T.
Ameliorative effects of tamolarizine on place learning impairment induced by transient forebrain ischemia in rats (853) 81
Tamura, Y., see Amano, T. (853) 269
Tolu, P., see Scheggi, S. (853) 290
Toole, J.F., see Veltkamp, R. (853) 68
Tramontina, F., see Karl, J. (853) 32
Tsou, K., see Sañudo-Peña, M.C. (853) 207

Uéda, K., see Yang, F. (853) 381
Uttenthal, L.O., see Serrano, J. (853) 245

Van Eldik, L.J., see Petrova, T.V. (853) 74
Van Slegtenhorst, M., see DeTure, M. (853) 5
Vassiljev, V., see Kalda, A. (853) 370
Veltkamp, R., Warner, D.S., Domoki, F., Brinkhous, A.D., Toole, J.F. and Busija, D.W.
Hyperbaric oxygen decreases infarct size and behavioral deficit after transient focal cerebral ischemia in rats (853) 68
Veltri, M., see Giovannelli, L. (853) 136
Verheul, M.H.G., see Levin, M.F. (853) 352
Verkhratsky, A., see Möller, T. (853) 49

Walker, J.M., see Sañudo-Peña, M.C. (853) 207
Walker, R.H., see Shashidharan, P. (853) 197
Warner, D.S., see Mackensen, G.B. (853) 15
Warner, D.S., see Veltkamp, R. (853) 68
Wegener, J., Hakvoort, A. and Galla, H.-J.
Barrier function of porcine choroid plexus epithelial cells is modulated by cAMP-dependent pathways in vitro (853) 115
Wegiel, J., see Gong, C.-X. (853) 299
Wegiel, J., see Ray, I. (853) 344
Williams, C.E., see Guan, J. (853) 163
Wilson, B., see Chang, R.C.C. (853) 236
Wilson, D.A., Best, A.R. and Brunjes, P.C.
Trans-neuronal modification of anterior piriform cortical circuitry in the rat (853) 317
Wisniewski, H.M., see Gong, C.-X. (853) 299

Yang, F., Uéda, K., Chen, P.-P., Ashe, K.H. and Cole, G.M.
Plaque-associated α-synuclein (NACP) pathology in aged transgenic mice expressing amyloid precursor protein (853) 381
Yang, S.H., see Shi, J. (853) 1
Yazawa, S., see Kanda, M. (853) 282
Yen, S., see DeTure, M. (853) 5
Yen, S.-H., see DeTure, M. (853) 5

Zharkovsky, A., see Kalda, A. (853) 370
Zuck, L., see Gong, C.-X. (853) 299